



60HZ 25kVA 20kW Deutz Diesel Generator Water Cooled 3 Phase Electric Diesel Generator Set

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE ISO
- Model Number: DE-DD30
- Minimum Order Quantity: 1*20GP CONTAINER
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Controller: Smartgen/Deepsea/ComAp
- Cooling System: Water Cooling
- Frequency: 60HZ
- Insulation Class: H
- Noise Level: 72dBA At 7M
- Phase: Three Phase
- Power: Diesel Generator
- Protection Grade: IP23
- Prime Power: 22kW/27.5kVA
- Standby Power: 24kW/30kVA
- Highlight: 20kw Diesel Generator 3 Phase,
Deutz Diesel Generator Water Cooled,
20kW Diesel Generator Water Cooled

for more products please visit us on dellentpower.com

Product Description

High Commercial Deutz 25kVA Generator , BFM3-G1Engine Diesel Generator ,
Light: CE Deutz 25kva Generator ,60HZ

.PRODUCT DESCRIPTION

Water Cooled 60HZ 25kVA 20kW Deutz Diesel Generator Set Electric Diesel Generator

Product Introduce:

Deutz engine diesel generator we have all series from rated 20kva to 750kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service.



Product parameters:

Specification of 60kVA Deutz Diesel Generator Set

Model		DE-DD30
Max. Power	kVA	28
	kW	22.4
Rate Power	kVA	25
	kW	20
Frequency	Hz	60
Rate Voltage	V	220/127
Rate Current	A	65.6

Specification of Deutz Alternator:

Engine Manufacturer	Deutz (Dalian) Engine Co., Ltd.
---------------------	---------------------------------

Engine Brand		Deutz
Engine Model		BFM3-G1
No. of Cylinder		4 Cylinder in line
Aspiration		Naturally aspirated
Governor		Electric
Engine Max. Output Power	kW	25
Displacement	L	3.2
Starting Voltage	V	12
Bore	mm	98
Stroke	mm	105
Lubrication Oil Capacity	L	7.5

Specification of Control Panel:

Controller Brand	Smartgen
Breaker Brand	Delixi
Breaker Capacity (A)	80
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



. FACTORY INTERIOR:



Features:

Low water cut out engine protection
 The Deutz Generator enclosed structure ensures quieter operation
 Alternator excitation mode brushless self-excitation
 Four Cylinder, four-stroke, water-cooled diesel engine

If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
 CITY,NINGDE CITY,FUJIAN.CHINA