



BF6M1013FCG3 60Hz 250 Kva Industrial Generator , Standby Power Deutz Diesel Generator Set

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-DEUTZ
- Certification: CE ISO
- Model Number: DE-HD250
- Minimum Order Quantity: 1*20GP CONTAINER
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Controller: Smartgen/Deepsea/ComAp
- Cooling System: Water Cooling
- Frequency: 60HZ
- Insulation Class: H
- Noise Level: 72dBA At 7M
- Phase: Three Phase
- Power: Diesel Generator
- Protection Grade: IP23
- Prime Power: 180kW/225kVA
- Standby Power: 200kW/250kVA
- Engine Model: BF6M1013FCG3
- Name: 200kw Diesel Generator
- Highlight: **Standby Power Deutz Diesel Generator Set, 60Hz 250 Kva Industrial Generator**

for more products please visit us on dellentpower.com

Product Description

High

Commercial Deutz 250kVA Generator , BF6M1013FCG3Engine Diesel Generator ,

Light:

CE Deutz 250kva Generator ,60HZ

.PRODUCT DESCRIPTION

BF6M1013FCG3 60Hz 250kVA Standby Power Deutz Diesel Generator Set

Product Introduce:

Deutz engine diesel generator we have all series from rated 20kva to 750kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

For example:

Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service

Higher level technical support.



Product parameters:

Specification:

Model		DE-HD250
Standby Power	kVA	250
	kW	200
Prime Power	kVA	225
	kW	180
Frequency	Hz	60
Output Voltage	V	240

Specification of Deutz Alternator:

Engine Model		BF6M1013FCG3
No.of Cylinder		6 Cylinder in line
Bore	mm	108
Stroke	mm	130
Displacement	L	7.146
Cooling Fan Air Flow	m ³ /min	N.A.
Compress Air Flow	m ³ /min	N.A.
Exhaust Gas Flow	m ³ /min	N.A.

Exhaust Gas Temperature		530
Lubrication Oil Capacity	L	20
Cooling Water Capacity	L	27.3
Starting Voltage	V	12
Engine Max.Output Power	kW	201

Specification of Control Panel:

We also have Leroy Somer, Marathon, Mecc Alte and Chinese brand Brushless alternator for your choice.

. Why Choose Us:

Dedicated
We are DEDICATED to meet Customers' need.

Enthusiasm
We respond to our Customers' ENTHUSIASM

Loyalty
We cherish our Customers' LOYALTY

Luxury
We aim to establish our own LUXURY brand

Efficient
We offer our EFFICIENT service

Newest
We adopt NEWEST technologies for products

Trust
We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA