

CHINA

DE-F22

face to face

20-30 DAYS

PLASTIC WRAP

500 PCS PER MONTH

DELLENT-FAWDE

20kva 3 Phase Generator , 16kW Diesel Generator Enclosed 4DW91-29D

Basic Information

- Place of Origin:
- Brand Name:
- Certification: CE ISO
- Model Number:
- Minimum Order Quantity: 1*20GP
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

Name:Brand:

Cooling System:

Frequency:Alternator:

• Phase:

• Type:

Controller:Engine Model:

• Prime Power:

• Highlight:

• Standby Power:

20kva 3 Phase Generator FAWDE Water Cooling 50HZ Alternator Three Phase Diesel Generator Smartgen DSE 4DW91-29D 16kVA/20kW 18kVA/22kW 20kva 3 Phase Generator, 16kW Diesel Generator,

3 Phase 20kva Generator

Our Product Introduction

Commercial FAWDE 20kVA Generator, 4DW91-29D Engine Diesel Generator, Light: CE FAWDE 20kva Generator ,50HZ

.PRODUCT DESCRIPTION

20kVA 16kW 3 Phase Diesel Generator Enclosed 4DW91-29D FAWDE Generator

Product Introduce:

Fiscal finite angine, we have all series from 15kva to 413kva. Fawde generator is famous as high quality. Fawde series Genset is characterized by high quality, high efficiency, low vibration and noise, smooth running, high reliability, easy handling. It widely used in national defense, telecommunications, construction site, commercial buildings, industrial and mining sites, oil fields, roads, ports, villas, banks, hospitals etc. and hot-selling to Philippine, Vietnam, Myanmar, Cambodia, Uzbekistan, Kazakhstan, Russia, Africa, etc.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations. For example: Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

Advantage of our Fawde diesel generator :

Fawde diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Lower noise level Faster delivery time Better team service Higher level technical support.



Product parameters:

| Specification: Model | | DE-F22 |
|-------------------------|-----|---------|
| Max. Power | kVA | 22 |
| | kW | 18 |
| Rate Power | kVA | 20 |
| | kW | 16 |
| Frequency | Hz | 50 |
| Rate Voltage | V | 400/230 |
| Rate Current | A | 28.9 |

Specification of the Fawde Diesel Engine:

| Engine Manufacturer | | FAW Jiefang Automotive Co., Ltd. Wuxi Diesel Engine Works |
|--------------------------|----|--|
| Engine Brand | | Fawde |
| Engine Model | | 4DW91-29D |
| No. of Cylinder | | 4 Cylinder in line |
| Aspiration | | Naturally Aspirated |
| Governor | | Mechanical |
| Engine Max. Output Power | kW | 23 |

| Displacement | L | 2.54 |
|--------------------------|----|------|
| Starting Voltage | V | 12 |
| Bore | mm | 90 |
| Stroke | mm | 100 |
| Lubrication Oil Capacity | L | 8 |



If you need Deutz generator with other models technical data, kindly contact us for catalogues!

