Standby Power Ricardo Diesel Generator 22kVA 18kW 50Hz With 4 Cylinder In Line

Basic Information

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE/ISO9001
Model Number: DE-W22
Minimum Order Quantity: 1*20GP
Price: face to face

Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
 Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED

Payment Terms: L/C, T/T

• Supply Ability: 500 PCS PER MONTH



Product Specification

Name: Ricardo Diesel Generator 22kVA

Frequency: 50Hz
Engine Brand: Ricardo
Engine Model: 4YT23-20D
No. Of Cylinder: 4 Cylinder In Line

Rated Speed: 1500rpmVoltage: 400V/230VWarranty: 12 Months

Controller: Deepsea/ ComAp/ Smartgen

Prime Power: 16kW/20kVAStandby Power: 18kW/22kVA

• Highlight: Standby Power Ricardo Diesel Generator,

Ricardo Diesel Generator 22kVA,

22kVA Diesel Generator

50Hz 18kW 22kVA Standby Power of Ricardo Diesel Generator

. PRODUCT DESCRIPTION

50Hz 18kW 22kVA Standby Power of Ricardo Diesel Generator 125kVA Diesel Generator Powered by Ricardo Diesel Engine:

Model		DE-W22	
Max. Power	kVA	22.0	
	kW	18.0	
Rate Power	kVA	20.0	
	kW	16.0	
Frequency	Hz	50	
Rate Voltage	V	400/230	
Rate Current	A	28.87	
Ricarod Diesel Engine:			
Engine Manufacturer		Kofo	
Engine Brand		Dioardo	

Thearea Dieser Engine.			
Engine Manufacturer		Kofo	
Engine Brand	Ricardo		
Engine Model	4YT23-20D		
No. of Cylinder		4 Cylinder in line	
Aspiration		Turbocharger and After-cooled	
Governor		Mechanical	
Engine Max. Output Power	kW	20	
Displacement	L	2.31	
Starting Voltage	V	24	
Bore	mm	88	
Stroke	mm	95	
Lubrication Oil Capacity	L	240	

Specification of Control Panel:

Controller Brand		Smartgen		
Controller Model		HGM6120N		
Breaker Brand		Delixi		
Breaker Capacity	А	250		
Battery Charger		Smartgen		
Emergency Stop Button		Supply		
Automatic Mains Fail (AMF)		Supply		
Fuel Level		Supply		
Automatic Transfer Switch	,	ATS as optional part		
Mains Monitor	Suppl	Supply with DELLENT Function		
	 			

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.





. Why Choose Us:



We are DEDICATED to meet Customers' need.

We respond to our Customers' ENTHUSIASM

We cherish our Customers' LOYALTY

We aim to establish our own LUXURY brand

ficient

We offer our EFFICIENT service

ewest

We adopt NEWEST technologies for products

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:















Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

