

68kva Isuzu Generator Set 4BG1-Z Soundproof 3 Phase Alternator

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1*20GP
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

Name:Brand:

Isuzu Generator Set

ISUZU

CHINA

CE ISO

DE-IS74

face to face

20-30 DAYS

PLASTIC WRAP

500 PCS PER MONTH

DELLENT-ISUZU

- Cooling System:
- Frequency:
- Alternator:
- Controller Model:
- Phase:
- Type:
- Controller:
- Engine Model:
- Prime Power:
- Standby Power:
- Highlight:

- Water Cooling 60HZ
- Tamford/ Leroy Somer/ Mecc Alte Model: Deepsea/ ComAp/Smartgen
 - . Three Phase
 - Diesel Generator
 - Smartgen DSE
 - 4BG1-Z
 - 68kVA/54kW
 - 74kVA/59kW
 - 68kva Isuzu Generator Set, Isuzu Generator Set 4BG1-Z, Soundproof 3 Phase Alternator

Commercial ISUZU 68kVA Generator ,4BG1-Z Engine Diesel Generator , Light: CE ISUZU 68kVA Generator ,60HZ

.PRODUCT DESCRIPTION

Product Introduce:

Our Isuzu engine diesel generator have all series from 20kva to 106kvao meet your specific power needs. We also prioritize ease of use and maintenance for our customers. Our generators are designed with a user-friendly interface and easy access to key components for maintenance and repairs. Regular maintenance is essential for the longevity and optimal performance of your generator, and our team can provide support and guidance for creating a maintenance schedule that suits your specific needs.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

Healthcare, Data Centers, Telecommunications, Construction, Manufacturing, Oil and Gas, Military, Residential electricity.

Advantage of our Isuzu diesel generator :


Isuzu diesel generator have a sturdy housing Longer lifespan Lower maintenance costs Complete Isuzu diesel generator which canopy adopts rainproof and corrosion-resistant electrostatic powder coating. After high-temperature baking, it is leveled and solidified to form a dense protective coating, which is both corrosion-resistant and wear-resistant.

Product	parameters:
Spacific	ation

Generator Set Specification		
Model		DE-IS74
	kVA	74
Max. Power	kW	59
Rate Power	kVA	68
	kW	54
Frequency	Hz	60
Rate Voltage	V	400/230
Rate Current	А	90.2
Fuel Tank Capacity	L	120
Dimension For Open-type Genset	mm	1850 X 850 X 1210
Weight For Open-type Genset	kg	960
Dimension For Soundproof Genset	mm	2400 X 1020 X 1300
Weight For Soundproof Generator	kg	1050
Noise Level for Soundproof Generator at 7M	dBA	72
Battery		One of Free Maintenance Battery

Technical Data of ISUZU Diesel Engine:

Engine Specification		
Engine Manufacturer		Deutz (Dalian) Engine Co., Ltd.
Engine Brand		Deutz
Engine Model		4BG1-Z
No. of Cylinder		4 Cylinder in line
Aspiration		Turbocharged
Governor		Electric
Engine Max. Output Power	kW	65
Displacement	L	4.3
Compression Ratio		17.5 : 1
Starting Voltage	V	12
Bore	mm	105
Stroke	mm	125
Lubrication Oil Capacity	L	N.A.
Intake Air Flow	M3/Min	N.A.
Fuel Consumption at 100% Load	L/H	14.92771084





If you need ISUZU generator with other models technical data, kindly contact us for catalogues!

