



Water Cooled 50KW Diesel Generator Cummins Genset 50HZ / 60HZ

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-C22~C66
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: 50KW Diesel Generator Cummins
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **50KW Diesel Generator Cummins, 50kw Cummins Generator, Cummins Genset**

for more products please visit us on dellentpower.com

CE Cummins Diesel Generator about 50kW.

Our Cummins diesel generators are known for their durability, fuel efficiency, and low maintenance requirements. With Cummins engines at their core, these generators offer reliable power output that can be trusted for a range of applications. From backup power for homes and businesses to powering construction sites and events, our Cummins diesel generators deliver the power you need when you need it.

We also prioritize ease of use and maintenance for our customers. Our generators are designed with a user-friendly interface and easy access to key components for maintenance and repairs. Regular maintenance is essential for the longevity and optimal performance of your generator, and our team can provide support and guidance for creating a maintenance schedule that suits your specific needs.

. PRODUCT

TECHNICAL DATA

Model	Rated Power (kW)	Rated Power (kVA)	Rated Voltage (V)	Rated Frequency (Hz)	Rated Current (A)	Rated Speed (rpm)	Rated Efficiency (%)	Rated Power Factor	Rated Output (kWh)	Rated Output (kVAh)	Rated Output (kWh/kVAh)
CE-020	19	20.8	230	50	48	1500	95	0.8	950	1040	1.1
CE-025	22	23.8	230	50	55	1500	95	0.8	1100	1210	1.1
CE-030	25	27.0	230	50	63	1500	95	0.8	1250	1375	1.1
CE-035	28	30.0	230	50	71	1500	95	0.8	1400	1540	1.1
CE-040	30	32.4	230	50	78	1500	95	0.8	1500	1650	1.1
CE-045	33	35.1	230	50	86	1500	95	0.8	1650	1815	1.1
CE-050	35	37.5	230	50	93	1500	95	0.8	1750	1925	1.1
CE-055	38	40.2	230	50	101	1500	95	0.8	1900	2090	1.1
CE-060	40	42.6	230	50	108	1500	95	0.8	2000	2200	1.1
CE-065	43	45.3	230	50	116	1500	95	0.8	2150	2365	1.1
CE-070	45	47.7	230	50	123	1500	95	0.8	2250	2475	1.1
CE-075	48	50.4	230	50	131	1500	95	0.8	2400	2640	1.1
CE-080	50	52.8	230	50	138	1500	95	0.8	2500	2750	1.1
CE-085	53	55.5	230	50	146	1500	95	0.8	2650	2915	1.1
CE-090	55	57.9	230	50	153	1500	95	0.8	2750	3025	1.1
CE-095	58	60.6	230	50	161	1500	95	0.8	2900	3190	1.1
CE-100	60	63.0	230	50	168	1500	95	0.8	3000	3300	1.1
CE-105	63	65.7	230	50	176	1500	95	0.8	3150	3465	1.1
CE-110	65	68.1	230	50	183	1500	95	0.8	3250	3575	1.1
CE-115	68	70.8	230	50	191	1500	95	0.8	3400	3740	1.1
CE-120	70	73.2	230	50	198	1500	95	0.8	3500	3850	1.1
CE-125	73	75.9	230	50	206	1500	95	0.8	3650	4015	1.1
CE-130	75	78.3	230	50	213	1500	95	0.8	3750	4125	1.1
CE-135	78	81.0	230	50	221	1500	95	0.8	3900	4290	1.1
CE-140	80	83.4	230	50	228	1500	95	0.8	4000	4400	1.1
CE-145	83	86.1	230	50	236	1500	95	0.8	4150	4565	1.1
CE-150	85	88.5	230	50	243	1500	95	0.8	4250	4675	1.1
CE-155	88	91.2	230	50	251	1500	95	0.8	4400	4840	1.1
CE-160	90	93.6	230	50	258	1500	95	0.8	4500	4950	1.1
CE-165	93	96.3	230	50	266	1500	95	0.8	4650	5115	1.1
CE-170	95	98.7	230	50	273	1500	95	0.8	4750	5225	1.1
CE-175	98	101.4	230	50	281	1500	95	0.8	4900	5390	1.1
CE-180	100	103.8	230	50	288	1500	95	0.8	5000	5500	1.1
CE-185	103	106.5	230	50	296	1500	95	0.8	5150	5665	1.1
CE-190	105	108.9	230	50	303	1500	95	0.8	5250	5775	1.1
CE-195	108	111.6	230	50	311	1500	95	0.8	5400	5940	1.1
CE-200	110	114.0	230	50	318	1500	95	0.8	5500	6050	1.1
CE-205	113	116.7	230	50	326	1500	95	0.8	5650	6215	1.1
CE-210	115	119.1	230	50	333	1500	95	0.8	5750	6325	1.1
CE-215	118	121.8	230	50	341	1500	95	0.8	5900	6490	1.1
CE-220	120	124.2	230	50	348	1500	95	0.8	6000	6600	1.1
CE-225	123	126.9	230	50	356	1500	95	0.8	6150	6765	1.1
CE-230	125	129.3	230	50	363	1500	95	0.8	6250	6875	1.1
CE-235	128	132.0	230	50	371	1500	95	0.8	6400	7040	1.1
CE-240	130	134.4	230	50	378	1500	95	0.8	6500	7150	1.1
CE-245	133	137.1	230	50	386	1500	95	0.8	6650	7315	1.1
CE-250	135	139.5	230	50	393	1500	95	0.8	6750	7425	1.1
CE-255	138	142.2	230	50	401	1500	95	0.8	6900	7590	1.1
CE-260	140	144.6	230	50	408	1500	95	0.8	7000	7700	1.1
CE-265	143	147.3	230	50	416	1500	95	0.8	7150	7865	1.1
CE-270	145	149.7	230	50	423	1500	95	0.8	7250	7975	1.1
CE-275	148	152.4	230	50	431	1500	95	0.8	7400	8140	1.1
CE-280	150	154.8	230	50	438	1500	95	0.8	7500	8250	1.1
CE-285	153	157.5	230	50	446	1500	95	0.8	7650	8415	1.1
CE-290	155	159.9	230	50	453	1500	95	0.8	7750	8525	1.1
CE-295	158	162.6	230	50	461	1500	95	0.8	7900	8690	1.1
CE-300	160	165.0	230	50	468	1500	95	0.8	8000	8800	1.1
CE-305	163	167.7	230	50	476	1500	95	0.8	8150	8965	1.1
CE-310	165	170.1	230	50	483	1500	95	0.8	8250	9075	1.1
CE-315	168	172.8	230	50	491	1500	95	0.8	8400	9240	1.1
CE-320	170	175.2	230	50	498	1500	95	0.8	8500	9350	1.1
CE-325	173	177.9	230	50	506	1500	95	0.8	8650	9515	1.1
CE-330	175	180.3	230	50	513	1500	95	0.8	8750	9625	1.1
CE-335	178	183.0	230	50	521	1500	95	0.8	8900	9790	1.1
CE-340	180	185.4	230	50	528	1500	95	0.8	9000	9900	1.1
CE-345	183	188.1	230	50	536	1500	95	0.8	9150	10065	1.1
CE-350	185	190.5	230	50	543	1500	95	0.8	9250	10175	1.1
CE-355	188	193.2	230	50	551	1500	95	0.8	9400	10340	1.1
CE-360	190	195.6	230	50	558	1500	95	0.8	9500	10450	1.1
CE-365	193	198.3	230	50	566	1500	95	0.8	9650	10615	1.1
CE-370	195	200.7	230	50	573	1500	95	0.8	9750	10725	1.1
CE-375	198	203.4	230	50	581	1500	95	0.8	9900	10890	1.1
CE-380	200	205.8	230	50	588	1500	95	0.8	10000	11000	1.1
CE-385	203	208.5	230	50	596	1500	95	0.8	10150	11165	1.1
CE-390	205	210.9	230	50	603	1500	95	0.8	10250	11275	1.1
CE-395	208	213.6	230	50	611	1500	95	0.8	10400	11440	1.1
CE-400	210	216.0	230	50	618	1500	95	0.8	10500	11550	1.1
CE-405	213	218.7	230	50	626	1500	95	0.8	10650	11715	1.1
CE-410	215	221.1	230	50	633	1500	95	0.8	10750	11825	1.1
CE-415	218	223.8	230	50	641	1500	95	0.8	10900	11990	1.1
CE-420	220	226.2	230	50	648	1500	95	0.8	11000	12100	1.1
CE-425	223	228.9	230	50	656	1500	95	0.8	11150	12265	1.1
CE-430	225	231.3	230	50	663	1500	95	0.8	11250	12375	1.1
CE-435	228	234.0	230	50	671	1500	95	0.8	11400	12540	1.1
CE-440	230	236.4	230	50	678	1500	95	0.8	11500	12650	1.1
CE-445	233	239.1	230	50	686	1500	95	0.8	11650	12815	1.1
CE-450	235	241.5	230	50	693	1500	95	0.8	11750	12925	1.1
CE-455	238	244.2	230	50	701	1500	95	0.8	11900	13090	1.1
CE-460	240	246.6	230	50	708	1500	95	0.8	12000	13200	1.1
CE-465	243	249.3	230	50	716	1500	95	0.8	12150	13365	1.1
CE-470	245	251.7	230	50	723	1500	95	0.8	12250	13475	1.1
CE-475	248	254.4	230	50	731	1500	95	0.8	12400	13640	1.1
CE-480	250	256.8	230	50	738	1500	95	0.8	12500	13750	1.1
CE-485	253	259.5	230	50	746	1500	95	0.8	12650	13915	1.1
CE-490	255	261.9	230	50	753	1500	95	0.8	12750	14025	1.1
CE-495	258	264.6	230	50	761	1500	95	0.8	12900	14190	1.1
CE-500	260	267.0	230	50	768	1500	95	0.8	13000	14300	1.1
CE-505	263	269.7	230	50	776	1500	95	0.8	13150	14465	1.1
CE-510	265	272.1	230	50	783	1500	95	0.8	13250	14575	1.1
CE-515	268	274.8	230	50	791	1500	95	0.8	13400	14740	1.1
CE-520	270	277.2	230	50	798	1500	95	0.8	13500	14850	1.1
CE-525	273	280.0	230	50	806	1500	95	0.8	13650	15015	1.1
CE-530	275	282.4	230	50	813	1500	95	0.8	13750	15125	1.1
CE-535	278	285.1	230	50	821	1500	95	0.8	13900	15290	1.1
CE-540	280	287.5	230	50	828	1500	95	0.8	14000	15400	1.1
CE-545	283	290.2	230	50	836	1500	95	0.8	14150	15565	1.1
CE-550	285	292.6	230	50	843	1500	95	0.8	14250	15675	1.1
CE-555	288	295.3	230	50	851	1500	95	0.8	14400	15840	1.1
CE-560	290	297.7	230	50	858	1500	95	0.8	14500	15950	1.1
CE-565	293	300.4	230	50	866	1500	95	0.8	14650	16115	1.



. FACTORY INTERIOR:



FAQ

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN.CHINA