#### YANGDONG 50KW Diesel Generator Water Cooled Generator Set 50HZ / 60HZ

#### **Basic Information**

Place of Origin: CHINA
 Brand Name: DELLENT
 Certification: CE/ISO9001
 Model Number: DE-YD9.5~YD83

• Minimum Order Quantity: 1 PC

• Price: bargain face-to-face

Packaging Details:
 PLASTIC WRAP OR PLYWOOD CASE

Delivery Time: 20-30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 1 MONTH 600PCS



#### **Product Specification**

• Name: 50KW Diesel Generator

• Engine Brand: YANGDONG

Cooling Method: Water-Cooling System

Fuel Type: DieselRated Frequency: 50HZ/60HZ

Speed: 1500RPM/1800RPMWarranty: 12 Months/1000 Hours

• Highlight: YANGDONG 50KW Diesel Generator,

50kw Generator Set,

Water Cooled Generator Set

#### CE YANGDONG Diesel Generator about 50kW.

#### . PRODUCT

	Gen	TECHNICAL DATA  Inset Performance:					WATER-COOLED Series Diesel Generator Sets Engine Portumance: Dimension(L-W-H)						
	Genset Model	Prime						Prime power	Fuel Cons. (100% Load)	Cylinder Bore×Stroke	Displace -ment	Open Type	Silent Type
	DE-YD9.5	6.8	8.5	7.6	9.5	YD380D	1500	10	2.6	3L-80×90	1.357	126*80*110	170×84×110
50Hz	DE-YD11	8	10	9	11	YD385D	1500	11	3	3L-85×90	1.532	126×80×110	170×84×110
	DE-YD11	В	10	9	11	YD460D	1500	14	4.1	4L-80×90	1.809	130×80×110	200×84×116
	DE-YD14	10	13	11	14	TD4KD	1500	15	4.35	4L-85×90	2.043	130×80×110	200×84×116
	DE-YD18	13	16	14	18	YSD490D	1500	21	6.1	4L-90×100	2.54	133×80×113	200×89×128
	DE-YD22	16	20	18	22	Y4950	1500	27	7.1	4L-95×105	2.997	153×78×115	220×89×128
	DE-YD28	20	25	22	28	Y4100D	1500	31.5	8.4	4L-100×118	3.707	159×78×115	220×89×128
	DE-YD30	22	28	24	30	Y4102ZD	1500	40	10.2	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD32	24	30	26	32	Y4102ZD	1500	40	10.B	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD40	30	38	32	40	Y4102ZLD	1500	48	11.9	4L-102×118	3.875	178×85×121	230×95×130
	DE-YD48	34	43	38	48	Y4102ZLD	1500	48	13.2	4L-102×118	3.875	178×85×121	230×95×130
	DE-YD55	40	50	44	55	Y4105ZLD	1500	55	14.3	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD66	48	60	53	66	YD4EZLD	1500	63	16.1	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD83	60	75	66	83	Y4110ZLD	1500	80				199×100×135	270×102×152
2H09	DE-YD11	8	10	8.8	11	YD388D	1800	12	3.05	3L-80×90	1.357	126×80×110	170×84×110
	DE-YD14	10	12.5	11	14	YD380D	1800	13	3.6	3L-85×90	1:532	126×80×110	170×84×110
	DE-YD14	10	12.5	11	14	YD385D	1800	17	4.4	4L-80×90	1.809	130×80×110	200×84×116
	DE-YD18	13	16	14	18	YD480D	1800	20	5.8	4L-85×95	2.156	130×80×110	200×84×116
	DE-YD22	16	20	18	22	YND485D	1800	25	7.2	4L-90×100	2,54	133×80×113	200×89×128
	DE-YD28	20	25	22	28	YSD490D	1800	30	8.4	4L-95×105	2.997	153×78×115	220×89×128
	DE-YD30	22	28	24	30	Y4950	1800	39.6	10	4L-102×118	3.875	159×78×115	220×89×128
	DE-YD33	24	30	26	33	Y4100D	1800	39.6	11	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD40	30	37.5	32	40	Y4102D	1800	48	11.7	4L-102×118	3.875	167×78×115	220×89×128
	DE-YD48	36	44	38	48	Y4102ZD	1800	48	13	4L-102*118	3.875	178×85×121	230×95×130
	DE-YD52	40	48	42	52	Y4102ZLD	1800	53	14	4L-102*118	3.875	178×85×121	230*95*130
	DE-YD63	45	56	50	63	Y4105ZLD	1800	60	15.5	4L-105×118	4.1	195×90×132	258×102×138
	DE-YD73	53	63	58	73	YD4EZLD	1800	68	17.5	4L-105*118	4.1	195×90×132	258×102×138
	DE-YD91	66	83	73	91	Y4110ZLD	1800	85				199×100×135	270×102×152

. Why Choose Us:



We are DEDICATED to meet Customers' need

# **Enthusiasm**

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

## **E**fficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

### Trust

We strive for winning the TRUST from Customers

#### . QUALIFICATION CENTIFICATE:



















#### . FACTORY INTERIOR:













Maintenance methods of diesel generators:

- 1: Change the engine oil and oil filter regularly;
- 2: Replace the air filter element regularly;
- 3: Check and replace the fuel filter element regularly;
- 4: Check and replace spark plugs regularly;
- 5: Regularly check and replace the generator battery;
- 6: Regularly inspect and replace the diesel engine belt;
- 7: Regularly inspect and replace the water pump of the diesel engine;

- 8: Regularly inspect and replace the radiator of the diesel engine;
- 9: Regularly check and replace the fuel injector of the diesel engine;10: Regularly inspect and replace the cylinder gasket of the diesel engine.

