



Industrial 200kW Deutz Diesel Engine Generator Set Water Cooled

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-DD275
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: Deutz Diesel Engine Generator Set
- Engine Brand: Deutz
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **200kW Deutz Diesel Engine Generator, Deutz Diesel Engine Generator Set, 200 Kw Industrial Generator**

for more products please visit us on dellentpower.com

CE Deutz Diesel Generator about 200kW.

Looking for reliable Deutz generators for your power needs? Look no further than our Deutz generator dealership! We are proud to offer a wide range of high-quality Deutz gensets that are perfect for both residential and commercial use.

Our Deutz generators are known for their superior performance, durability, and efficiency, making them the perfect choice for anyone who needs reliable and uninterrupted power. Whether you need a backup power source for your home or office or you need a reliable generator for your industrial or construction site, we have the perfect Doosan generator for you.

. PRODUCT

50 Hz		60 Hz		TECHNICAL DATA		DEUTZ WATER-COOLED Series Diesel Generator Sets									
Genset Performance						Engine Performance						Dimensions(L*W*H)			
Genset Model	Prime Power	Standby Power	Engine model	Speed	Prime power	Fuel Cons. (100% Load)	Cylinder Bore-Stroke	Displace ment	Open Type	Silent Type					
	kW	kVA	kW	kVA	rpm	L/h	mm	L	cm	cm					
DE-DD22	16	20	17.6	22	BFM3 G1	1500	20	4.9	4L-98*105	3.168	150*74*108	220*90*120			
DE-DD33	24	30	26.4	33	BFM3 G2	1500	29	7.7	4L-98*105	3.168	150*74*108	220*90*120			
DE-DD44	32	40	35.2	44	BFM3T	1500	40	9.3	4L-98*105	3.168	160*74*108	225*90*121			
DE-DD55	40	50	44	55	BFM3C	1500	45	11.2	4L-98*105	3.168	160*74*120	230*102*120			
DE-DD66	48	60	52.8	66	BF4M2012	1500	54	12.1	4L-101*126	4.04	181*90*128	250*102*130			
DE-DD88	58	72.5	64	80	BF4M2012C G1	1500	71	15.2	4L-101*126	4.04	181*90*128	250*102*130			
DE-DD103	75	93	82.5	103	BF4M2012C G2	1500	85	19.9	4L-101*126	4.04	185*90*128	250*102*130			
DE-DD110	80	100	88	110	BF4M2012C G2	1500	85	21.3	4L-101*126	4.04	185*90*128	250*102*130			
DE-DD121	88	110	96.8	121	BF4M1013C F1	1500	97	24.2	4L-108*130	4.76	192*100*140	265*108*152			
DE-DD150	108	135	120	150	BF4M1013C F1	1500	117	28.9	4L-108*130	4.76	203*100*140	265*108*152			
DE-DD175	128	160	140	175	BF4M1013C G1	1500	146	33.6	6L-108*130	7.15	249*100*140	330*118*185			
DE-DD182	132	165	145.2	181.5	BF4M1013C G1	1500	146	35.8	6L-108*130	7.15	254*100*140	340*110*185			
DE-DD200	144	180	160	200	BF4M1013C G2	1500	160	39.2	6L-108*130	7.15	254*100*140	340*110*185			
DE-DD220	160	200	176	220	BF4M1013C G3	1500	183	45.6	6L-108*130	7.15	258*100*150	340*115*175			
DE-DD250	180	225	200	250	BF4M1015-LAG1A	1500	208	47.5	6V-132*145	11.906	266*141*215	435*170*223			
DE-DD275	200	250	220	275	BF4M1015C-LAG1A	1500	228	52.3	6V-132*145	11.906	266*141*215	435*170*223			
DE-DD316	230	287.5	253	316	BF4M1015C-LAG3A	1500	256	57.6	6V-132*145	11.906	276*141*215	435*170*223			
DE-DD350	250	312.5	280	350	BF4M1015C-LAG3A	1500	282	68	6V-132*145	11.906	276*141*215	435*170*223			
DE-DD385	280	350	308	385	BF4M1015C-LAG4	1500	310	74.8	6V-132*145	11.906	283*141*215	435*170*223			
DE-DD412	300	375	330	412.5	BF4M1615C-LAG	1500	328	80.3	6V-132*145	11.906	283*141*215	435*170*223			
DE-DD500	360	450	400	500	BF4M1015C-LAG2	1500	403	95.8	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD550	400	500	440	550	BF4M1015C-LAG2	1500	448	108	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD600	432	540	480	600	BF4M1015C-LAG4	1500	480	119	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD750	540	675	600	750	HCI2V132Z-LAG1A	1500	600	133.1	12V-132*145	23.812	372*180*235	590*200*253			
DE-DD825	600	750	660	825	HCI2V132Z-LAG3A	1500	666	154.4	12V-132*145	23.812	372*180*235	590*200*253			
DE-DD30	22	27.5	24	30	BFM3 G1	1800	25	6.6	4L-98*105	3.168	150*74*108	220*90*120			
DE-DD41	30	37.5	33	41	BFM3 G2	1800	34	9	4L-98*105	3.168	150*74*108	220*90*120			
DE-DD55	40	50	44	55	BFM3T	1800	45	11.4	4L-98*105	3.168	160*74*108	225*90*121			
DE-DD69	50	62.5	55	69	BFM3C	1800	55	13.8	4L-98*105	3.168	160*74*108	230*102*120			
DE-DD75	54	67.5	60	75	BF4M2012	1800	63	15.6	4L-101*126	4.04	181*90*128	250*102*130			
DE-DD93	68	85	74.6	93.5	BF4M2012C G1	1800	79	21.9	4L-101*126	4.04	185*90*128	250*102*130			
DE-DD110	80	100	88	110	BF4M1012C G2	1800	96	23.1	4L-101*126	4.04	185*90*128	250*102*130			
DE-DD120	86	107	96	120	BF4M1012C G2	1800	95	24.4	4L-101*126	4.04	185*90*128	250*102*130			
DE-DD138	100	125	110	137.5	BF4M1013C G2	1800	115	29.1	4L-108*130	4.76	195*100*140	265*108*152			
DE-DD175	128	160	140	175	BF4M1013C G1	1800	155	35.8	6L-108*130	7.15	249*100*140	330*118*185			
DE-DD220	160	200	176	220	BF4M1013C G2	1800	181	45.8	6L-108*130	7.15	254*100*140	340*110*185			
DE-DD250	180	225	200	250	BF4M1013C G3	1800	204	53	6L-108*130	7.15	254*100*140	340*110*185			
DE-DD275	200	250	220	275	BF4M1015-LAG8	1800	225	53.8	6V-132*145	11.906	266*141*215	435*170*223			
DE-DD300	220	275	240	300	BF4M1015C-LAG1B	1800	244	58.9	6V-132*145	11.906	266*141*215	435*170*223			
DE-DD350	250	312.5	280	350	BF4M1015C-LAG2B	1800	279	67.3	6V-132*145	11.906	276*141*215	435*170*223			
DE-DD385	280	350	308	385	BF4M1015C-LAG3B	1800	306	73.8	6V-132*145	11.906	276*141*215	435*170*223			
DE-DD440	320	400	352	440	BF4M1015C-LAG2B	1800	351	85.9	6V-132*145	11.906	283*141*215	435*170*223			
DE-DD500	360	450	400	500	BF4M1015C-LAG1B	1800	408	99.8	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD525	380	475	422	525	BF4M1015C-LAG1B	1800	429	105	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD578	420	525	462	577.5	BF4M1015C-LAG2B	1800	470	115	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD625	450	562.5	500	625	BF4M1015C-LAG3B	1800	500	122.4	8V-132*145	15.874	315*156*215	460*180*223			
DE-DD750	540	675	600	750	HCI2V132Z-LAG1B	1800	600	139.1	12V-132*145	23.812	372*180*235	590*200*253			
DE-DD825	600	750	660	825	HCI2V132Z-LAG2B	1800	666	154.4	12V-132*145	23.812	372*180*235	590*200*253			

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



FAQ

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA