

## Outdoor 1000kW Diesel Generator 1250kVA Perkins Industrial Generator

### **Basic Information**

• Place of Origin: CHINA

Brand Name: DELLENT-PERKINS

Certification: CE ISO
Model Number: DE-P1375
Minimum Order Quantity: 1PC

Price: face to facePackaging Details: PLASTIC WRAP

Delivery Time: 30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 500 PCS PER MONTH



### **Product Specification**

Name: Perkins Industrial Generator

Brand: PerkinsCooling System: Water Cooling

50HZ • Frequency: · Alternator: Alternator • Phase: Three Phase Diesel Generator Type: Smartgen DSE . Controller: • Engine Model: 4012-46TWG2A • Prime Power: 1250kVA/1000kW Standby Power: 1375kVA/1100kW

Highlight: Outdoor 1000kW Diesel Generator,

ISO Perkins Industrial Generator, Outdoor Diesel Generator 1000kW

### **Product Description**

High Commercial Perkins 1250kVA Generator, 4012-46TWG2A Engine Diesel Generator,

CE Perkins 1250kva Generator ,50HZ Light:

### .PRODUCT DESCRIPTION

1250kVA Industrial 1000kW Perkins Generator Set For Outdoor

**Product Introduce:**Our Perkins generators are known for their superior performance, durability, and efficiency, making them the perfect choice for anyone who needs reliable and uninterrupted power. Whether you need a backup power source for your home or office or you need a reliable generator for your industrial or construction site, we have the perfect Perkins generator for you.

As an authorized Perkins generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

Smartgen

Delixi

160

Supply

Supply

Supply

### Product parameters: Specification:

Control Panel Specification

Controller Brand

Breaker Capacity (A)

Emergency Stop Button

Automatic Mains Fail (AMF)

Breaker Brand

Fuel Level

| Specification:                             |        |                                  |
|--|--------|----------------------------------|
| Model                                      |        | DE-P1375                         |
| Max. Power                                 | kVA    | 1375                             |
|  | kW     | 1100                             |
| Rate Power                                 | kVA    | 1250                             |
|  | kW     | 1000                             |
| Frequency                                  | Hz     | 50                               |
| Rate Voltage                               | V      | 400/230                          |
| Rate Current                               | А      | 1804.3                           |
| Fuel Tank Capacity                         | L      | 1000                             |
| Dimension For Open-type Genset             | mm     | 5220 X 2130 X 2600               |
| Weight For Open-type Genset                | kg     | 8250                             |
| Dimension For Soundproof Genset            | mm     | 12192 X 2438 X 2896              |
| Weight For Soundproof Generator            | kg     | 12300                            |
| Noise Level for Soundproof Generator at 7M | dBA    | 85                               |
| Battery for Starting                       |        | Four of Free Maintenance Battery |
| Specification of Perkins Diesel Engin      | e:     |                                  |
| Engine Manufacturer                        |        | Perkins                          |
| Engine Brand                               |        | Perkins                          |
| Engine Model                               |        | 4012-46TWG2A                     |
| No. of Cylinder                            |        | 12 Cylinder V type               |
| Aspiration                                 |        | Turbocharged                     |
| Governor                                   |        | Electric                         |
| Engine Max. Output Power                   | kW     | 1217                             |
| Displacement                               | L      | 45.8                             |
| Compression Ratio                          |        | 13.6 : 1                         |
| Starting Voltage                           | V      | 24                               |
| Bore                                       | mm     | 160                              |
| Stroke                                     | mm     | 190                              |
| Lubrication Oil Capacity                   | L      | 177.6                            |
| Intake Air Flow                            | M³/Min | 61.2                             |
| Fuel Consumption at 100% Load              | L/H    | 262                              |
| Specification of Control Panel :           |        |                                  |

Automatic Transfer Switch

ATS as optional part

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

#### . Why Choose Us:

### Dedicated

We are DEDICATED to meet Customers' need.

## **Enthusiasm**

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

## **Efficient**

We offer our EFFICIENT service

## Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

### . QUALIFICATION CENTIFICATE:



















### . FACTORY INTERIOR:













### Advantages:

low fuel consumption and long maintenance intervals, you can rely on this generator to provide stable and uninterrupted power for extended periods.

Quiet Operation: With its advanced noise reduction technology, our generator with Perkins engine operates at low noise levels, making it ideal for use in noise-sensitive environments. This makes it a great choice for residential and commercial use, where noise pollution is a concern.

If you need Perkins generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7, JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY, NINGDECITY, FUJIAN. CHINA